U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

		SECT	ION A – PROF	PERTY INFORM	IATION	FOR INSURANCE COMPANY US				
A1. Building Owner's Nam	ne UNIPROP HO	OMES, INC.	MRV2016-00	031, RES2016-01	1891	Policy Number:				
A2. Building Street Addres 9 AQUADILLA COUF			Bldg. No.) or P.O	. Route and Box N	lo.	Company NAIC Number:				
City FORT MYERS			State FL	ZIP Code 3	33912					
A3. Property Description (MOBILE HOME 26' 4	Lot and Block Nu " x 58' SKYLINI	umbers, Tax Parcel No E, SILVER SPRINGS	umber, Legal De PREMIER 5079	escription, etc.)), VIN # LE61-010	9-JA, LE61-0109-JI	В				
 A4. Building Use (e.g., Re A5. Latitude/Longitude: La A6. Attach at least 2 photo A7. Building Diagram Num A8. For a building with a ca a) Square footage of b) Number of permanor enclosure(s) wit c) Total net area of fluid) Engineered flood of 	at. 26° 31' 25.16" ographs of the but of (SEE COI rawlspace or encorawlspace or entent flood opening hin 1.0 foot above ood openings?	IN Long81° 52' 08. iilding if the Certificate MMENTS) closure(s): nclosure(s) gs in the crawlspace e adjacent grade A8.b Yes No	.70"W e is being used to 1,556 sq ft 8 1,728 sq in	A9. For a base a) Sq b) Nu wit c) Tot d) En	rance. building with an attacuare footage of atta mber of permanent hin 1.0 foot above a tal net area of flood gineered flood open	sched garage sq ft flood openings in the attached gara adjacent grade sq in openings in A9.b sq in nings?				
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION										
B1. NFIP Community Name LEE COUNTY 125124	e & Community N	TOWN CONTRACTOR CONTRA	B2. County Nam LEE	e		B3. State FLORIDA				
B4. Map/Panel Number 12071C 0438	B5. Suffix F	B6. FIRM Index Da 08/28/08	Effective	FIRM Panel e/Revised Date 98/28/08	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zo AO, use base flood depth)				
☐ FIS Profile 11. Indicate elevation datu 12. Is the building located Designation Date:	ım used for BFE		1929	Other/Source: _ NAVD 1988 Or Otherwise Protei	Other/Source: _cted Area (OPA)?	Yes 🛭 No				
	SECTIO	N C – BUILDING E	LEVATION IN	FORMATION (S	SURVEY REQUIR	RED)				
below according to the Benchmark Utilized: G 4 Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top	based on: cate will be required. A30, AE, AH, A (building diagram the selection of the election of the election of the selection of the selection of the selection of the selection of slab)	Construction Draw red when construction (with BFE), VE, V1–V3 specified in Item A7. I evations in items a) through the same as that unit, crawlspace, or endural member (V Zones	wings* [n of the building in 30, V (with BFE) in Puerto Rico or Vertical Datum rough h) below. Used for the BFE closure floor)	Building Under s complete. , AR, AR/A, AR/AE hly, enter meters. : NAVD 1988 □ NGVD 1929 ☑ . 8.4 11.1 N/A N/A	Construction* E, AR/A1–A30, AR/A NAVD 1988 □ Ot Check	□ Finished Construction AH, AR/AO. Complete Items C2.a-h ther/Source: the measurement used. feet □ meters				
A new Elevation Certification 2. Elevations – Zones A1–below according to the Benchmark Utilized: G4 Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equit f) Lowest adjacent (finis g) Highest adjacent (finis	based on: cate will be required. A30, AE, AH, A (building diagram at 16 a used for the elected elevations must accluding basement floor and the floor and floo	Construction Draw red when construction (with BFE), VE, V1–V3 specified in Item A7. I evations in items a) the bethe same as that unt, crawlspace, or endural member (V Zones pment servicing the british in Comments) to building (LAG) to building (HAG)	wings [n of the building i 30, V (with BFE) n Puerto Rico or Vertical Datum rough h) below. used for the BFE closure floor) only)	Building Under s complete. , AR, AR/A, AR/AE hly, enter meters. : NAVD 1988 □ NGVD 1929 ☑ . 8.4 11.1 N/A N/A 10.7	Construction* E, AR/A1–A30, AR/A NAVD 1988	Finished Construction AH, AR/AO. Complete Items C2.a-H ther/Source: the measurement used. feet				
A new Elevation Certification 2. Elevations – Zones A1–below according to the Benchmark Utilized: G4 Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equal f) Lowest adjacent (finis	based on: cate will be required. A30, AE, AH, A (puilding diagram and the elevations must arcluding basement floor archorizontal structured. Achinery or equipipment and locations in the elevations archinery or equipipment and locations archinery or equipipment archinery or equipipment and locations archinery or equipipment archinery or equipipmen	Construction Dray red when construction (with BFE), VE, V1–V3 specified in Item A7. I evations in items a) through the same as that unit, crawlspace, or enderal member (V Zones pment servicing the british in Comments) to building (LAG) to building (HAG) tion of deck or stairs,	wings [n of the building in 30, V (with BFE) in Puerto Rico or Vertical Datum rough h) below. used for the BFE closure floor) only) uilding	Building Under is complete. AR, AR/A, AR/AE, and in the individual is complete. AR, AR/AE, AR/AE, and in the individual is complete. BAYD 1988 NGVD 1929 8.4 11.1 N/A N/A 10.7 8.3 8.4 aral support 8.3	Construction* E, AR/A1–A30, AR/A NAVD 1988 Check	Finished Construction AH, AR/AO. Complete Items C2.a-h ther/Source: the measurement used. feet				
A new Elevation Certific 2. Elevations – Zones A1– below according to the below according	based on: cate will be required. A30, AE, AH, A (puilding diagram the first state of the elevations must elevations must elevations must elevations must elevations must elevations must elevations filosof slab) elevations	Construction Draw red when construction (with BFE), VE, V1–V3 specified in Item A7. It evations in items a) through the same as that unit, crawlspace, or endural member (V Zones pment servicing the brition in Comments) to building (LAG) to building (HAG) tion of deck or stairs, IND – SURVEYOR	wings [n of the building i 30, V (with BFE) In Puerto Rico or Vertical Datum rough h) below. used for the BFE closure floor) only) uilding including structu	Building Under s complete. AR, AR/A, AR/AE ally, enter meters. NGVD 1988 NGVD 1929 8.4 11.1 N/A N/A 10.7 8.3 4.4 4.4 10.7 8.3 6.4 6.4 6.3 6.4 6.4 6.3 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4 6.4	Construction* E, AR/A1–A30, AR/A NAVD 1988	Finished Construction AH, AR/AO. Complete Items C2.a-h ther/Source: the measurement used. feet				
A new Elevation Certification 2. Elevations – Zones A1–below according to the Benchmark Utilized: G4 Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equit f) Lowest adjacent (finis g) Highest adjacent (finis	based on: cate will be required. A30, AE, AH, A (building diagram building diagram building basement and location of slab) cachinery or equiperation of slab (cachinery or equiperation of slab) cachinery or equiperation of slab (cachinery or equiperation or slab) cachinery or equiperation or slab (cachinery or equiperation or slab) cachinery or equiperation or slab (cachinery or equiper	Construction Draw red when construction (with BFE), VE, V1–V3 specified in Item A7. It evations in items a) the bethe same as that unit, crawlspace, or endural member (V Zones pment servicing the brition in Comments) to building (LAG) to building (HAG) to building	wings [In of the building is 30, V (with BFE) on Puerto Rico or Vertical Datum rough h) below. Used for the BFE closure floor) only) uilding including structured by the structure of the st	Building Under s complete. AR, AR/A, AR/AE ally, enter meters. NAVD 1988 NGVD 1929 8.4 11.1 N/A N/A 10.7 8.3 8.4 10.7 B.3 COR ARCHITEC Lect authorized by I arts to interpret the under 18 U.S. Codd of longitude in Sectiveyor? Yesticense Number L. IEERING, INC.	Construction* E, AR/A1–A30, AR/A NAVD 1988 □ Ot Check Check T CERTIFICATIO aw to certify elevation data available. le, Section 1001. ion A provided by a les □ No S4500 Code 33901	Finished Construction AH, AR/AO. Complete Items C2.a-h ther/Source: the measurement used. feet				

	rresponding information from Sec		FOR	NSURANCE COMPANY USE
uilding Street Address (including Apt., Unit, Suite, AQUADILLA COURT	and/or Bldg. No.) or P.O. Route and Box	No.	Policy	Number:
ty FORT MYERS	State FL ZIP C	ode 33912	Comp	any NAIC Number:
SECTION D - SURVE	EYOR, ENGINEER, OR ARCHITECT	CERTIFIC	ATION (CONTIN	IUED)
ppy both sides of this Elevation Certificate for (1) of	community official, (2) insurance agent/co	mpany, and ((3) building owner.	
omments JEI PROJECT NO. 00019168, FB 275: NDER THE ELEVATED MANUFACTURED HOM XTENDS TO A RIBON CURB ON THE GROUND HE STORAGE SHED IS 85 SQUARE FEET UND 6 AT ELEVATION = 8.9'. THE ELEVATED CONCI OTE: UNABLE TO DOWNLOAD A USABLE COF	E ON CONCRETE PIERS. THE NON-ST THERE ARE FLOOD VENTS IN THE VER THE CARPORT AND IS UNINHABIT RETE A/C PAD ELEVATION = 10.7'.	RUCTURAL INYL SKIRT ABLE. THEF	VINYL SIDING (P ING. THERE IS A RE ARE NO FLOO	ERIMETER SKIRTING) STORAGE SHED 8.3' X 10.2'.
SECTION E BUILDING ELEVATION INF		RED) FOR	ZONE AO AND	ZONE A (WITHOUT BEE)
or Zones AO and A (without BFE), complete Items and C. For Items E1–E4, use natural grade, if availa				est, complete Sections A, B,
1. Provide elevation information for the following		whether the	elevation is above	or below the highest adjacent
grade (HAG) and the lowest adjacent grade (L a) Top of bottom floor (including basement, cra b) Top of bottom floor (including basement, cra 2. For Building Diagrams 6–9 with permanent flor (elevation C2.b in the diagrams) of the building 3. Attached garage (top of slab) is 4. Top of platform of machinery and/or equipment	awlspace, or enclosure) is awlspace, or enclosure) is od openings provided in Section A Items g is	☐ feet 8 and/or 9 (s ☐ above or ☐ below the	☐ meters ☐ abovee pages 8–9 of In☐ below the HACHHAG.	ē.
5. Zone AO only: If no flood depth number is ava	ailable, is the top of the bottom floor eleva	ted in accord	lance with the com	
ordinance? Yes No Unknown. 1				
	RTY OWNER (OR OWNER'S REPR			
ne property owner or owner's authorized represental Zone AO must sign here. The statements in Section				sued or community-issued BFE
operty Owner's or Owner's Authorized Representa		,	,	
	City		State	ZIP Code
dress	Only		Otato	211 Oode
ddress	Date		Telephone	Zii Gode
gnature				211 0000
gnature				
gnature	Date	ON (OPTIO	Telephone	
gnature mments SECT local official who is authorized by law or ordinance to	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain m	anagement o	Telephone NAL) rdinance can comp	☐ Check here if attachme
gnature mments SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain m m(s) and sign below. Check the measurer to other documentation that has been sign	anagement of ent used in It	NAL) rdinance can compeems G8–G10. In Ped by a licensed sur	Check here if attachme lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect wh
spinature SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation information information.	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain material mater	anagement of ent used in It ed and seale the elevation	NAL) rdinance can complems G8–G10. In Ped by a licensed sur data in the Comme	Check here if attachme lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect whents area below.)
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation inform A community official completed Section E for	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain man(s) and sign below. Check the measureman other documentation that has been sign mation. (Indicate the source and date of or a building located in Zone A (without a Forest Community Comm	anagement of ent used in It ed and seale the elevation EMA-issued	NAL) rdinance can complems G8–G10. In Pid by a licensed surdata in the Common or community-issu	Check here if attachmed lete Sections A, B, C (or E), and uerto Rico only, enter meters. Veyor, engineer, or architect whents area below.)
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation inform A community official completed Section E for the following information (Items G4–G10) is	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain manual	anagement o ent used in It ed and seale the elevation EMA-issued gement purp	NAL) rdinance can complems G8–G10. In Ped by a licensed sur data in the Common or community-issueses.	Check here if attachmed lete Sections A, B, C (or E), and uerto Rico only, enter meters. Veyor, engineer, or architect whents area below.)
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation inform A community official completed Section E form the following information (Items G4–G10) is completed. Permit Number G5. Date Page	Date FION G – COMMUNITY INFORMATION to administer the community's floodplain manual m	anagement o ent used in It ed and seale the elevation FEMA-issued gement purpo Date Certifi	NAL) rdinance can complems G8–G10. In Ped by a licensed sur data in the Common or community-issueses.	Check here if attachmed lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect whents area below.) ed BFE) or Zone AO.
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation inform A community official completed Section E for The following information (Items G4–G10) is Permit Number G5. Date Portion This permit has been issued for:	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain manual matter of the documentation that has been sign mation. (Indicate the source and date of the abuilding located in Zone A (without a part of the sprovided for community floodplain manual matter of the sprovided for community floodplain matter of the sprovided for community floodplain manual matter of the sprovided for community floodplain manual matter of the sprovided floodplain matter of the sprovided floodplai	anagement of ent used in It ent used	NAL) rdinance can complems G8–G10. In Ped by a licensed sur data in the Common community-issueses.	Check here if attachme lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect whents area below.) ed BFE) or Zone AO.
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation inform A community official completed Section E form The following information (Items G4–G10) is including basen to the property of the permit Number in the per	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain m m(s) and sign below. Check the measurem of other documentation that has been sign mation. (Indicate the source and date of or a building located in Zone A (without a F or provided for community floodplain mana termit Issued G6. Construction Substantial Improvement) of the building:	anagement of ent used in lifted and seale the elevation EMA-issued gement purportion Date Certification in feet recognition recognition in the ent recognition i	NAL) rdinance can complems G8–G10. In Production of the Common or community-issues. cate Of Compliance on the Complems Cate of Compliance cate o	Check here if attachme lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect whents area below.) ed BFE) or Zone AO. e/Occupancy Issued
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter is authorized by law to certify elevation inform is authorized by law to certify elevation inform is authorized by law to certify elevation inform A community official completed Section E form The following information (Items G4–G10) is in Permit Number G5. Date Permit Number This permit has been issued for: New Complete Section E form I have Completed Sec	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain manual m	anagement of ent used in It ed and seale the elevation EMA-issued gement purport Date Certificant feet refer	Telephone NAL) rdinance can complems G8–G10. In Production of the Common or community-issueses. cate Of Compliance meters Datur	☐ Check here if attachmed lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect whents area below.) ed BFE) or Zone AO.
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation inform A community official completed Section E for The following information (Items G4–G10) is experient Number This permit Number G5. Date Portion Department of the permit Number Coefficient of as-built lowest floor (including basen BFE or (in Zone AO) depth of flooding at the build community's design flood elevation:	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain manual m	anagement of ent used in It ed and seale the elevation EMA-issued gement purport Date Certificant feet refer	Telephone NAL) rdinance can complems G8–G10. In Production of the Common or community-issueses. cate Of Compliance meters Datur	Check here if attachmed lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect whents area below.) ed BFE) or Zone AO. e/Occupancy Issued
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation inform A community official completed Section E for The following information (Items G4–G10) is . Permit Number G5. Date Portion Description of the provided passent of the provided p	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain manual matter of the documentation that has been sign mation. (Indicate the source and date of the abuilding located in Zone A (without a First provided for community floodplain manual manua	anagement of ent used in It ed and seale the elevation EMA-issued gement purport Date Certification [a feet	Telephone NAL) rdinance can complems G8–G10. In Production of the Common or community-issueses. cate Of Compliance meters Datur	Check here if attachmed lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect whents area below.) ed BFE) or Zone AO. e/Occupancy Issued
SECT local official who is authorized by law or ordinance to is Elevation Certificate. Complete the applicable iter The information in Section C was taken from is authorized by law to certify elevation inform A community official completed Section E fo The following information (Items G4–G10) is in the property of the property o	Date TION G – COMMUNITY INFORMATION to administer the community's floodplain manual m	anagement of ent used in It ed and seale the elevation EMA-issued gement purport Date Certification [a feet	Telephone NAL) rdinance can complems G8–G10. In Production of the Common or community-issueses. cate Of Compliance meters Datur	Check here if attachmed lete Sections A, B, C (or E), and uerto Rico only, enter meters. veyor, engineer, or architect whents area below.) ed BFE) or Zone AO. e/Occupancy Issued

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 9 AQUADILLA COURT

City FORT MYERS

State FL

ZIP Code 33912

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.





Left Side View

Right Side View Date Taken: 06/15/16





