

SR 82 and Lee Blvd Fiber Splice

West 96	Splice to On 96 whip	North 96	Splice to on 96 whip
1	1	1	49
2	2	2	50
3	3	3	51
4	4	4	52
5	5	5	53
6	6	6	54
7	7	7	55
8	8	8	56
9	9	9	57
10	10	10	58
11	11	11	59
12	12	12	60
13	13	13	61
14	14	14	62
15	15	15	63
16	16	16	64
17	17	17	65
18	18	18	66
19	19	19	67
20	20	20	68
21	21	21	69
22	22	22	70
23	23	23	71
24	24	24	72
25	25	25	73
26	26	26	74
27	27	27	75
28	28	28	76
29	29	29	77
30	30	30	78
31	31	31	79
32	32	32	80
33	33	33	81
34	34	34	82
35	35	35	83
36	36	36	84
37	37	37	85
38	38	38	86
39	39	39	87
40	40	40	88
41	41	41	89
42	42	42	90
43	43	43	91

91 leave straight through
92 leave straight through
93 leave straight through
94 leave straight through
95 leave straight through
96 leave straight through

91 leave straight through
92 leave straight through
93 leave straight through
94 leave straight through
95 leave straight through
96 leave straight through

Fibers 49 - 96 on the North and West fibers are to remain spliced straight through in the enclosure

